

Basic Information	
Official guide price	269,000
<u>Manufacturer</u>	Zeekr 🔍
<u>level</u>	mid-to-large cars 🚨
Energy type	Pure electric
Time to market	2024.08
electric motor	Pure electric power: 789 horsepower
Pure electric range (km) Ministry of Industry and Information Technology	675
Pure electric range (km). CLTC	675
High-voltage fast charging platform	• 800V
Charging time (hours)	Fast charging 0.19 hours
Fast charging capacity (%)	10-80
Maximum power (kW)	580 (789Ps)
Maximum torque (N·m)	810
g <u>earbox</u>	Electric vehicle single- speed transmission
Length x width x height (mm)	4977x1999x1545
Body structure	5-door, 5-seat hatchback
Maximum speed (km/h)	240
Official 0-100km/h acceleration time (s)	3.5
Power consumption per 100 kilometers (kWh/100km)	16.3
Electric energy equivalent fuel consumption (L/100km)	1.89
Vehicle warranty period	4 years or 100,000 km

↑ Back to top

First owner warranty period	6 years or 150,000 kilometers
body	
Length (mm)	4977
Width (mm)	1999
Height(mm)	1545
Wheelbase (mm)	3005
Front wheelbase (mm)	1703
Rear wheelbase (mm)	1716
Minimum ground clearance (mm)	145
Body structure	hatchback
Number of doors	5
Door opening method	swing door 🚨
Number of seats	5
Curb mass (kg)	2520
Full load mass (kg)	2975
<u>Luggage compartment</u> <u>volume (L)</u>	2144
Minimum turning radius	-
<u>Drag coefficient (Cd)</u>	0.23
electric motor	

Motor Description	Pure electric power: 789 horsepower
Motor type	Front induction/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	580
Total motor horsepower (Ps)	789
Total torque of the motor (N·m)	810
Maximum power of front motor (kW)	270
Maximum torque of front motor (N·m)	370
Maximum power of rear motor (kW)	310
Maximum torque of rear motor (N·m)	440
Number of drive motors	Dual motors
Motor layout	Front + rear

Battery/Charging

↑ Back to top

<u>Battery Type</u>	lithium iron phosphate battery
Battery Featured Technologies	Shenxing Battery
Battery cell brand	Times Geely
<u>Battery Pack Warranty</u>	Lifetime warranty for the first owner (liability exemption clause is subject to official regulations)
Battery capacity (kWh)	95
Battery energy density (Wh/kg)	-
Battery charging rate	• 5C
	Fast charging 0.19 hours
Battery Charging	Fast charging port
Fast charging port location	Left fuel tank
Slow charging port location	Left fuel tank
Battery temperature	Low temperature heating
management system	Liquid cooling
Single pedal mode	• Standard
VTOL mobile power station function	• Standard
VTOL maximum external discharge power	6kW
VTOV maximum external discharge power	60kW
gearbox	
<u>Transmission Description</u>	Electric vehicle single- speed transmission
Number of gears	1
<u>Transmission type</u>	Fixed gear ratio gearbox 🚨
Chassis/Steering	
<u>Drive mode</u>	Dual-motor four-wheel drive
Four-wheel drive type	Electric four-wheel drive
Front suspension type	Double wishbone independent suspension
Rear suspension type	Multi-link independent suspension
Steering type	Electric power steering
Body structure	load-bearing 🚇
Wheels/Brakes	
Front brake type	Ventilated disc

T Back to top

【极氪ZEEKR 001 2025款WE版 95kWh 四驱参数配置】极氪		
Rear brake type	Ventilated disc	
<u>Parking brake type</u>	Electronic parking brake	
Front tire specifications and dimensions	255/55 R19	
Rear tire specifications and dimensions	255/55 R19	
Spare tire specifications	-	
Active safety • Standard	o Optional – none	
ABS anti-lock braking system	• Standard	
Braking force distribution (EBD/CBC, etc.)	• Standard	
Brake assist (EBA/BA, etc.)	• Standard	
Traction control (TCS/ASR, etc.)	• Standard	
Vehicle stability system (ESP/DSC, etc.)	• Standard	
	Lane Departure • Warning	
	Forward Collision Warning	
	• Rear Collision Warning 🚨	
Active safety warning system	• Reversing side warning	
system	DOW door opening warning	
	Traffic ahead warning	
	Braking for crossing traffic ahead	
Active braking	• Standard	
Lane change assistance	• Standard	
Lane Keeping Assist System	• Standard	
Lane centering	• Standard	
Fatigue driving tips	• Standard	
Active DMS fatigue detection	• Standard	
In-vehicle vital signs detection	Standard	
Road traffic sign recognition	• Standard	
Traffic light recognition	• Standard	
Night vision system	-	
Passive safety • Standard	Optional – none	
	Main driver's seat	
<u>Front airbags</u>	• co-pilot seat	

₹ Back to top

* 1/2,980===:	
<u>side airbags</u>	• front row
Side curtain airbags	• Standard
Front knee airbags	-
center airbag	-
Seat belt not fastened reminder	• Standard
Tire pressure monitoring system	• Tire pressure display
Child seat interface (ISOFIX)	• Standard
Passive pedestrian protection	-
Safety tires	-
Auxiliary/control configuration	n • Standard • Optional - none
	• forward
parking radar	• back
Front vehicle departure reminder	• Standard
Narrow Road Assist	• Standard
	• Reversing image
<u>Driving assistance images</u>	• Vehicle side blind spot image
	• 360° panoramic images 🚇
	Transparent images
	• Cruise control
Cruise control system	Adaptive cruise control
	Full-speed adaptive cruise control
Automatic Lane Change Assist	• Standard
Automatic exit/entry of ramp	o Optional
National and Advisor Later	Expressway section
Navigation-assisted driving	o Urban roads
Assisted driving level	• Level 2 a
Automatic parking	• Standard
<u>Track reverse</u>	-
Memory Parking	-
Automatic parking (AUTOHOLD)	• Standard
Hill Start Assist (HAC)	Standard
Hill Descent Control (HDC)	• Standard

T Back to top

<u>Variable suspension</u> <u>adjustment</u>	Soft and hard + high and low
air suspension	o Optional
<u>Air suspension type</u>	-
Electromagnetic induction suspension	-
Magic Carpet Intelligent Suspension	· Optional
Variable steering ratio system	• Standard
Front axle limited slip mode	-
Rear axle limited slip mode	-
Center differential lock function	-
Integral Active Steering	-
	• sports
	• Off-road
	• Snow
<u>Driving mode selection</u>	Personalization
	• ECO/Economy
	Standard comfort
	Ejection Mode
Braking Energy Regeneration System	• Standard
Comfort braking	• Standard
Low speed driving warning sound	• Standard
External Configuration • Sta	andard • Optional - none
<u>Skylight Type</u>	The panoramic sunroof cannot be opened
Smart dimming skylight	
	o Optional
Roof rack	Optional -
Roof rack Sports appearance package	Optional - -
	Optional - -
Sports appearance package	Optional - - Standard
Sports appearance package Electric spoiler	-
Sports appearance package Electric spoiler Active closed grille	• Standard
Sports appearance package Electric spoiler Active closed grille aluminum alloy wheels	Standard
Sports appearance package Electric spoiler Active closed grille aluminum alloy wheels Frameless design doors	

▼ Back to top

Steering wheel adjustment	Up and down + front and back
Electric steering wheel adjustment	• Standard
	Multi-function control
Steering wheel functions	• memory
	• heating
Gear shifting	• Electronic gear lever
Trip computer screen	• color
LCD instrument style	• Full LCD
LCD instrument size (inches)	• 13.02
Comfort/anti-theft configurati	on • Standard • Optional
Electric suction door	• Standard
Electric swing/up doors	o Optional
Electric tailgate	Standard
Sensor-activated tailgate	o Optional
Electric tailgate position memory	• Standard
Central locking system in the car	• Standard
	Smart remote control key
Remote control key type	• Mobile Bluetooth Key
	• UWB digital key
Keyless entry	whole vehicle
Keyless start	Standard
Remote Start	• Standard
Remote control mobile vehicle	• Standard
Vehicle summoning function	-
Head-up display (HUD)	Standard
HUD projection size (inches)	• 35.5
Augmented reality head-up display system (AR-HUD)	• Standard
Built-in driving recorder	• Standard
Active Noise Cancellation	-
Mobile phone wireless	• Standard
Maximum power of mobile phone wireless charging (W)	50
110V/220V/230V power socket	-

₹ Back to top

【极氪ZEEKR 001 2025款WE版 95kWh 四驱参数配置】极氪ZEEKR 001 2025款WE版 95kWh 四驱详细参数介绍_懂车帝

<u>Luggage compartment 12V</u> <u>power socket</u>	Standard
Seat configuration • Standa	ard o Optional – none
Seat material	Genuine Leather
<u>Seat leather style</u>	Nappa leather
Sports style seats	-
Second row independent seats	-
	Main driver's seat
Electric seat adjustment	• co-pilot seat
	Second row
Folding rear seats	-
Overall adjustment of the	• Move forward and backward
driver's seat	Backrest angle
	Height adjustment
Local adjustment of the	• waist
driver's seat	• Leg support
Passenger seat overall	• Move forward and backward
<u>adjustment</u>	Height adjustment
	Backrest angle
Passenger seat partial	• waist
<u>adjustment</u>	Leg support
Second row seat overall adjustment	Backrest angle adjustment
Second row seat partial adjustment	-
	• heating
Front seat functions	• ventilation
TIOHE SEAL IUHCHOHS	• memory
	• massage
Second row seat functions	• heating
Boss Key	• Standard
Front/soor comments	• front row
Front/rear armrests	• back row
Rear cup holder	• Standard
Heated/cooled cup holders	-
Rear seat folding ratio	• 40:60
Second row small table	_

T Back to top

Central control screen size (inches)	• 15.05
Central control screen material	• OLED
Center console color screen resolution	2.5K
Rotatable/movable central control screen	· Optional
Satellite navigation system	• Standard
AR real-scene navigation	• Standard
Navigation traffic information display	• Standard
<u>Map Brand</u>	• Gaode
Roadside assistance service	Standard
Bluetooth/car phone	• Standard
Mobile Internet Mapping	• HUAWEI HiCar
мовне птеттет марріпд	Original factory machine
Internet of Vehicles	• Standard
4G/5G network	• 5G
OTA upgrade	• Standard
Facial Recognition	• Standard
Fingerprint recognition	-
Voiceprint recognition	-
Emotion Recognition	-
Voice recognition control system	• Standard
Voice wake-up function	• Standard
	Main driver
Voice wake-up recognition function by region	• co-pilot
	Second row
Continuous speech recognition	• Standard
<u>Seeing is telling</u>	• Standard
Voice assistant wake-up word	Hi,EVA
Gesture control function	-
Wi-Fi hotspots	• Standard
Audio and Video Entertainmer	nt • Standard • Optional -
Multi-finger flying screen control	-
<u>App Store</u>	Standard

▼ Back to top

Multimedia Interface	• USB/Type-C
Number of USB/Type-C	• 2 in the front row
<u>ports</u>	• 2 in the back row
<u>USB/Type-C maximum</u>	60W front row
<u>charging power</u>	60W in the rear
<u>Car TV</u>	-
Rear LCD screen	-
Simulated sound waves	• Standard
Karaoke function	• Standard
Audio brand	• Yamaha
Number of speakers	• 28
Dolby Atmos	• Standard
<u>Audio layout</u>	• 7.1.4
Maximum output power of amplifier (W)	• 3000
Seat speakers (headrest/shoulder)	• Standard
Sky Channel	• Standard
Rear multimedia controls	Standard

Lighting configuration • Standard • Optional - none

low beam	• led a
<u>High beam</u>	• led
Daytime running lights	• Standard
Adaptive high and low beam	• Standard
Automatic headlights	• Standard
Turn assist lights	• Standard
Front fog lights	-
Adaptive Front Steering (AFS)	-
Headlight height adjustment	• Standard
Headlight cleaning function	-
Interior ambient lighting	• Multicolor
Active ambient lighting	-
<u>Lighting features</u>	• Matrix 🔍
<u>Light projection technology</u>	-
Headlights delayed off	• Standard
Headlight rain and fog mode	-

▼ Back to top

Glass/rearview mirror • Sta	ndard • Optional - none
	• front row
<u>Power windows</u>	back row
One-touch window lift	whole vehicle
Window anti-pinch function	Standard
Exterior rearview mirror function	Electric adjustment
	heating
	Electric folding
	• memory
	• Automatically tilt down when reversing
	Automatic folding when locking the car
Interior rearview mirror function	Automatic anti-glare
Car makeup mirror	• Main driving seat + lighting
	Passenger seat + lighting
Rear privacy glass	-
<u>Car sunshade</u>	-
Rain-sensing wipers	• Standard
<u>rear wiper</u>	-
<u>Multi-layer soundproof</u> <u>glass</u>	-
Electric heating of the front windshield	• Standard
Heated water nozzle	-
Air conditioning/refrigerator	• Standard o Optional - no
Air conditioning control method	• automatic
Rear independent air conditioning	• Standard
Rear air outlet	Standard
Temperature zone control	Three-zone air conditioning
Car air purifier	• Standard
In-car PM2.5 filter	• Standard
Negative ion generator	-
Car fragrance device	• Standard
AQS Air Quality Management System	• Standard
<u>Car refrigerator</u>	-

↑ Back to top

Car refrigerator function	-
Intelligent configuration	
Assisted driving operating system	• ZEEKR AD
Assisted driving chip	• NVIDIA DRIVE Orin-X*2
Assisted driving chip computing power (TOPS)	• 508
In-vehicle intelligent system	• ZEEKR OS
<u>In-vehicle smart chip</u>	Qualcomm Snapdragon 8295
	• Digital Key
	Vehicle Monitoring
Mobile App remote control	Remote Control
	Charging Management
	Service Appointment
<u>Heat pump management</u> <u>system</u>	• Standard
Maximum forward detection distance (m)	• 200
Number of external cameras	• 11
External camera pixels	• Up to 8 million
Number of cameras in the car	• 1
In-car camera pixels	-
Number of ultrasonic radars	• 12
Number of millimeter-wave radars	• 5
Number of LiDARs	• 1
LiDAR brand	RoboSense
Sub-meter high-precision positioning system	• Standard
High-precision maps	Standard
Sentinel (Clairvoyance) Mode	• Standard
V2X communication	-
Optional Package • Standar	d o Optional – none
Customized options	Optional packages include exterior, interior, wheels, and brakes
ZEEKR AD fully intelligent driving assistance system	
	o Optional 35,000 yuar
	4-door induction frameless automatic doors, foot-kick

T Back to top

【极氪ZEEKR 001 2025款WE版 95kWh 四驱参数配置】极氪ZEEKR 001 2025款WE版 95kWh 四驱详细参数介绍_懂车帝

Smart sensor automatic door set	induction height memory electric tailgate	
	o Optional 16,000 yuan	
Smart Electric Trailer Hook Kit	Electric trailer hook, towing mode	
	o Optional 7,000 yuan	
Zeekr Magic Carpet Dual- Chamber Air Suspension Kit	Dual-chamber air suspension system, CCD electromagnetic vibration reduction system, smart magic carpet	
	o Optional 28,000 yuan	
In-vehicle satellite communications	o Optional 10,000 yuan	
Featured Configuration • Standard • Optional - none		
LV partition dimming skylight	o Optional 16,000 yuan	
Sunflower Rotating Screen	o Optional 5,000 yuan	
Vehicle-mounted satellite communications	o Optional 10,000 yuan	

^{*}The above parameter configuration information is for reference only, please refer to the actual vehicle for details View parameter configuration details >